



valid from 23.07.23

6. Range of Articles

6.1 P - platforms

- standard execution
- special execution
- special shape triangle
- special shape circle
- special shape trapezoid
- special surface
- extras

6.2 U - base construction

- fix LV
- levelling VS
- telescopic TF
- stepless adjustable LS in combination with nivtec LV leg
- alu diagonal bracing (variant 1 - variant 4)
- alu horizontal bracing
- theatre tier height 16,66 cm (fix LV / levelling VS)
- inclinable KG
- movable: wheels + extension adapters
- for scaffolding: weight girder

6.3 Z - accessories

- stairway & gallery
- stage & gallery
- ramp
- other

6.4 G - rails

- stage
- stage & gallery
- stairway: tier height 20 cm
- stairway: tier height 16,66 cm
- special rails & more
- railing accessories
- connection of ascents and descents with stage

6.5 T - transport





- safety
- transport wheels
- transport trolleys

6.6 E - spare parts



- platform
- base construction
- stairway
- rail
- accessories & more

standard execution


rectangular





special execution



special shape circle



special shape triangel





measurements in cm





6.1 P-platforms











special shape trapezoid



special surface



extras



measurements in cm



6.1 P-platforms


Nr.: 6.1

edition: 02


page:2 / 2

standard execution, tier height 20 cm


fix LV




levelling VS



telescopic TF



stepless adjustable LS in combination with nivtec LV leg




6.2 U-base construction

alu diagonal bracing


variant 1

wedge head / wedge head




variant 3

semi coupler / semi coupler




variant 2

wedge head / semi coupler








variant 4




swivel coupler / swivel coupler



bracing accessories




alu horizontal bracing




theatre tier height 16,66 cm

fix LV




levelling VS




other



inclinable KG



movable: wheels + extension adapters



for scaffolding: weight girder




U115
207 01 0


U116
207 02 0

U117
207 05 0


stairway & gallery




Z001
205 01 0




Z002
205 04 0




Z003
401 01 0




Z004
701 10 0



Z005
401 10 0




Z006
401 11 0




Z011
2602.019


leg distance 110 leg distance 150




Z007
402 01 0



Z008
402 05 0




Z009
602 03 0
incl. accessories




Z010
602 04 0
incl. accessories


ramp



Z012
405 02 0




Z013
405 03 0




Z014
401 20 0


stage & gallery




Z015
407 20 0




Z016
407 21 0



Z017
409 01 0




Z020
409 50 5



Z018
409 02 0




Z019
409 50 1



Z021
410 01 0




Z024
406 10 2
incl. accessories




Z022
410 02 0



Z023
406 10 1
incl. accessories



Z025 incl. accessories
705 01 0



Z026 incl. accessories
705 02 0




Z028-Z035
502 01 0 - 500 00 1



Z036-Z037
505 01 0 - 505 25 0

other




Z038
404 01 0




Z039
408 01 0

installation dimension: 245 x 245



Z040
100 00 4




Z041
100 00 5




6.3 Z-accessories




connection of ascents and descents with stage




stage




stage & gallery




stairway: tier height 20 cm




stairway: tier height 16,66 cm



special rails & more




railing accessories




6.4 G-rails

safety



T001
801 01 0




T002
802 01 1




T003
802 02 0

transport wheels




T004
803 01 0T




T005
803 02 0T


transport trolleys




T006
805 01 0
incl. belt 1,6 to




T007
805 02 0
incl. belt 1,6 to




T008
804 01 0
incl. belt 1,6 to




T009
804 02 0
incl. belt 1,6 to



T010
804 03 0











T011
806 01 0





T012
806 02 0


platform







base construction



stairway



rail



accessories & more

